

Amendments to the Claims:

This listing of claims replaces all prior listings of claims:

Listing of Claims:

1. (Currently Amended) A system, comprising:

user equipment;

a resource node configured to provide access to a wireless connection coupled to the user equipment and to manage resource for communication with said user equipment; and

a managing node configured to manage traffic flow, wherein said resource node and said managing node are configured so that negotiation information determined by the at least one resource node is passed between the resource node and the managing node, said managing node selecting a parameter for a new traffic flow based on said negotiation information, wherein said negotiation information comprises cost.

- 2-3. (Cancelled)

4. (Previously Presented) A system as claimed in claim 1, wherein said negotiation information further comprises at least one of type of traffic and the bit rate of the traffic.

- 5-9. (Cancelled)

10. (Previously Presented) A system as claimed in claim 1, wherein said managing node is located at an edge of a network.

11. (Previously Presented) A system as claimed in claim 1, wherein said managing node comprises a gateway general packet radio service support node.

12-13. (Cancelled)

14. (Previously Presented) A system as claimed in claim 1, wherein the managing node further provides detecting a new flow and wherein communication between the managing node and resource node is via a general packet radio service tunneling protocol or a multi-protocol label switching protocol.

15. (Previously Presented) A system as claimed in claim 1, wherein the resource node further provides balancing a load between available resources.

16. (Cancelled)

17. (Currently Amended) A method, comprising:

determining negotiation information at a resource node configured to provide access to a wireless connection coupled to the user equipment, the negotiation information comprising cost; and

passing the determined negotiation information between the resource node and a managing node.

18-19. (Cancelled)

20. (Currently Amended) An apparatus, comprising:
a traffic flow manager configured to manage a traffic flow;
an information receiver configured to receive negotiation information from
a resource node configured to provide access to a wireless connection coupled to the
user equipment, the negotiation information comprising cost information which is
determined at the resource node; and
a selector configured to select at least one parameter for a new traffic flow
based on said negotiation information.

21. (Currently Amended) An apparatus, comprising:
a resource manager, at a node, configured to communicate via a wireless
connection with user equipment;
an information determiner, at the node, configure to determine negotiation
information, the negotiation information comprising cost; and
an information passer, at the node, configured to pass said negotiation
information to a managing node.

22. (Cancelled)

23. (Canceled)

24-25. (Cancelled)

26. (Previously Presented) An apparatus as claimed in claim 20, wherein said
parameter is at least one of the following, traffic handling class, cost, and target bit rate.

27. (Previously Presented) An apparatus as claimed in claim 21, wherein the apparatus comprises an access node which is configured to communicate with user equipment.

28. (Previously Presented) An apparatus as claimed in claim 27, wherein the access node is a base station or radio network controller.

29. (Previously Presented) An apparatus as claimed in claim 21, wherein said apparatus is comprised in an access node.

30. (Previously Presented) An apparatus as claimed in claim 21, wherein the apparatus further comprises a load balancer configured to balance a load between available resources.

31. (Previously Presented) A method as claimed in claim 17, further comprising negotiating in order to select the at least one parameter.

32. (Previously Presented) A method as claimed in claim 31, wherein said negotiation information further comprises at least one of type of traffic and bit rate of the traffic.

33. (Previously Presented) A method as claimed in claim 17, wherein said negotiation information is determined for a plurality of different traffic handling classes.

34. (Previously Presented) A method as claimed in claim 17, wherein said parameter is at least one of the following, traffic handling class, cost, and target bit rate.

35. (Previously Presented) An apparatus as claimed in claim 20, wherein said apparatus is comprised in a managing node located at an edge of a network.

36. (Previously Presented) An apparatus as claimed in claim 20, wherein said apparatus is comprised in a managing node comprising a gateway general packet radio service support node.

37. (Previously Presented) A method as claimed in claim 17, wherein said resource node is an access node.

38. (Previously Presented) A method as claimed in claim 17, wherein the managing node further provides guiding an actual flow rate to a target flow rate.

39. (Previously Presented) A method as claimed in claim 17, wherein the managing node further provides detecting a new flow.

40. (Previously Presented) A method as claimed in claim 17, wherein the resource node further provides balancing a load between available resources.

41. (Previously Presented) A method as claimed in claim 17, wherein communication between the managing node and resource node is via a general packet radio service tunneling protocol or a multi-protocol label switching protocol.

42. (Currently Amended) A method comprising:
managing, at a node, a traffic flow;

receiving, at the node, negotiation information from a resource node
configured to provide access to a wireless connection, wherein the negotiation
information comprises cost information which is determined at the resource node; and
selecting at least two parameter for a new traffic flow based on said
negotiation information.

43. (Canceled)

44. (Currently Amended) An apparatus, comprising:

managing means, at a node, for managing a traffic flow;

information receiving means, at the node, for receiving negotiation

information from a resource node configured to provide access to a wireless connection,
wherein the negotiation information comprises cost information which is determined at
the resource node; and

selecting means for selecting at least two parameter for a new traffic flow
based on said negotiation information.